

Recommended time for assessment:

Recommended time for assessment:

Basic

Intermediate

Extended

Admission to study hospital

X

X

X

Daily (day 1-5)

X

X

Discharge study hospital

X

X

X

Basic

NEUROWORSENING

Neuroworsening*: No Yes Unknown

*Neuroworsening is defined as:

1. A spontaneous decrease in the Glasgow Coma Scale motor score ≥ 2 points (compared with the previous examination),
or
2. A new loss of pupillary reactivity, development of pupillary asymmetry ≥ 2 mm, or
3. Deterioration in neurological or CT status sufficient to warrant immediate medical or surgical intervention.

Intermediate = Advanced

NEUROWORSENING

Neuroworsening*: No

Yes

If yes: Decrease in motorscore ≥ 2 points

Development of pupillary abnormalities

Other neurological and/or CT deterioration

Action taken if yes: None

Unscheduled CT scan

Change in medical therapy

Surgical intervention

Unknown

*Neuroworsening is defined as:

1. A spontaneous decrease in the Glasgow Coma Scale motor score ≥ 2 points (compared with the previous examination),
or
2. A new loss of pupillary reactivity, development of pupillary asymmetry ≥ 2 mm, or
3. Deterioration in neurological or CT status sufficient to warrant immediate medical or surgical intervention.